




EO[®] Ermeto Original Tube clamps









Parker流体连接件授权分销商联系方式：

信德迈科技(北京)有限公司 CNMEC Technology
地址:北京朝阳区望京街10号望京SOHO-T1-C座2115室
邮编：100102
Tel: 010-84282935 , 8428 3983 13910962635
Fax: 010-84288762
email: sales@cnmec.biz
web: <http://www.cnmec.biz>



Visual index

Technical data.....	S3
Material properties.....	S4
Assembly instruction.....	S5/6
Light series (DIN 3015, part 1)	S6
Heavy series (DIN 3015, part 2).....	S6
Double series (DIN 3015, part 3).....	S6
Recommended clamp pitch	S7
Pipe bend assembly	S7

Tube clamps series A	 p. S8–S18	Tube clamps series O	 p. S35
		Double-Tube clamps series O	 p. S36
Tube clamps series B	 p. S19–S23	Hydraulic steel-clamps	 p. S37
		Tube clamps with Elastomer Inlay	 p. S39
Tube clamps series C	 p. S24–S34	Tube clamps- series 2+5	 p. S40

Tube clamps

DIN 3015

Programme:

Tube clamps series A (according to DIN 3015 Part 1)

Available in seven standard sizes for normal mechanical requirements.

- Outer tube diameter for the metric series 6 to 57 mm
- Outer tube diameter for the inch-size series R 1/8" to R 1 1/2"
- Outer tube diameter for the imperial size series 1/4" to 2 1/2"

The clamp body is available in a round/closed version.

Welding plates, rail-supports, cover plates and construction types.

Tube clamps series B (according to DIN 3015 Part 3)

Available as a twin tube clamp in five standard sizes for normal mechanical requirements.

Outer tube diameter 6 to 42 mm.

The clamp body is available in a square/open design.

Welding plates, rail-supports, cover plates and construction types.

Clamp halves with different diameters are only possible when used together.

Tube clamps series C (according to DIN 3015 Part 2)

Specially designed for high mechanical requirements, and available in eight standard sizes.

- Outer tube diameter 6 to 220 mm.

The clamp body is available in a square/closed design.

Welding plates, rail-supports, cover plates and construction types.

Design:

According to DIN 3015:

Both upper and lower clamp-halves are identical.

Webs inside the bore of the clamps provide an impact and vibration deadening effect, and absorb the forces towards the direction of the tube axis.

When using hoses and cables, we recommend the use of clamp halves with a smooth bore.

Clamp material:

Polypropylene	–30°C up to + 90° C	colour dark green
Polyamide	–40°C up to + 120° C	colour black
Rubber	–50°C up to + 120° C	colour black
Aluminium	up to + 300° C	

All metal parts available also in stainless steel.

Other materials upon request.

Stainless steel qualities

Stainless steel 1.4401/1.4571 (AISI 316/316 TI), resistant against rust and acid.

Accessories material:

Steel. Screws as well as cover plates of series A and B are galvanized.

Rail-supports are also available with zinc plated surface.


Resistance to stress:

The remarkable features of **Tube Clamps** are their considerable re-set capability, high tensile strength, as well as their very high output strength and excellent resistance to cold. The choice of design and clamp material depends on the specific demands of the mechanical and thermal requirements.

Order code:

The order code for clamp halves as well as the reference No. for complete tube clamps incorporates the serial indication, material description and interior surface.

Example of description:



¹⁾ Rubber only available for series A and B, inside smooth and series C grooved design

²⁾ Aluminium only available for series A size 1 to 6 and series C size 1 to 8

³⁾ Smooth interior surface in series C only to size 4

Aluminium clamps only available in a grooved design
Inside smooth series A only size 1 to 6

Registration:

On request

Tube clamps material properties

DIN 3015

Mechanical properties		Polypropylene (PP)	Polyamide 6 (PA 6)	Aluminium	Rubber
Density		0.906 g/cm ³	1.12–1.15g/cm ³	2.65 g/cm ³	0.98 g/cm ³
Flexural deflection	DIN 53452	36 N/mm ²	130...200 N/mm ²	70 N/mm ²	–
Impact resistance	DIN 53453	no break	no break	–	
Compressive strength	DIN 53454	90 N/mm ²	120 N/mm ²	HB 500...600 N/mm ²	A and B: 64° shore C: 73° shore
Modulus of elasticity	DIN 53452	1500 N/mm ²	3000 N/mm ²	70.000 N/mm ²	
Tensile strength					A and B: 6.1 N/mm ²
without breakage	DIN 53454	25–35 N/mm ²	80–90 N/mm ²	180 N/mm ²	C: 8.5 N/mm ²

Thermal properties				
Temp. resistance		–30 ... + 90°C	–40 ... + 120°C	300°C
				–50 ... +120°C



Chemical properties			
Weak acids	limited resistant	limited resistant	resistant
Weak alkalis	limited resistant	limited resistant	resistant
Alcohol	resistant	resistant	resistant
Petrol	limited resistant	resistant	limited resistant
Mineral oils	resistant	resistant	resistant
Other oils	resistant	resistant	resistant

The outlined particulars are approximate values and are only shown for reference, which are not binding, and with regard to possible protection of third parties. They do not exempt you from your own examination of suitability of the products delivered by us. Therefore, these values can only be used in a limited way for guidance only.

The application of the products is carried out outside of our control and, therefore, is exclusively subject to your own area of responsibility. Any claim however would be limited for all damages to the value of the goods supplied by us and in use by you.

It goes without saying, that we guarantee the perfect quality of our products according to our general sales and delivery conditions.

Tube clamps assembly instruction



Assembly:

Assembly on to metal welding plates

Place welding plates on a base appropriate for the load. Make sure that the clamps are properly aligned. Clamp lower clamp half onto welding plate, insert tube, place upper clamp half onto lower half and fasten with the screws. Attention must be paid to the bias (after completed assembly, clamp halves may not be in contact)! Do not weld with fitted plastic clamp!

Extended welding plates may be screw-fastened to the base.

Assembly on support rails

Support rails are available in four different heights and come in pieces of 1 m or 2 m length, as required.

Weld on support rail or screw-fasten with fastening angle bracket. Insert support rail nuts in rail and turn until stoppage. For heavy duty construction series, nuts are simply pushed in. Clamp lower clamp half on support rail nuts, insert tube, place upper clamp half onto lower half and fasten with the screws. Before fastening the screws the clamp may still be positioned. Attention must be paid to the bias (after completed assembly, the clamp halves may not be in contact)!

Construction assembly


Clamps allow the assembly of multiple clamps of the same construction size and of different tube diameters one above the other. The construction assembly is carried out with special fixing screws that are secured against twisting by applying a locking plate. Clamp lower clamp half on welding plate or support rail respectively, insert tube, place upper clamp half on lower half and fasten with fixing screws. The fixing screw juts out from the upper clamp half. The application of a locking plate securely fastens the fixing screw and prevents twisting. Clamp on second clamp half on to the fixing screws etc.

Tube clamps

DIN 3015

Screw tightening torque and axial pipe shearing forces

The indicated screw tightening torque and axial pipe shearing forces refer to the assembly with cover plates and outside hexagon bolts according to DIN 931/933. The axial pipe shearing force (according to DIN 3015, part 10) is an average value, determined by three tests made with a steel pipe according to DIN 2448 of St. 37, for which static friction is assumed (temperature during tests: 23°C). When loading the clamp with the indicated test force (F) in axial pipe direction, the pipe must not slide in the clamp.



Light series (DIN 3015, part 1)

Size	Fixing screw DIN 931/933	Polypropylene		Polyamide		Aluminium	
		Screw tightening torque (Mn)	Pipe shearing force F (kN)	Screw tightening torque (Mn)	Pipe shearing force F (kN)	Screw tightening torque (Mn)	Pipe shearing force F (kN)
0	M6	8	0.6	10	0.6	–	–
1	M6	8	1.1	10	0.7	12	4.2
2	M6	8	1.2	10	0.8	12	4.3
3	M6	8	1.4	10	1.6	12	4.8
4	M6	8	1.5	10	1.7	12	5.0
5	M6	8	1.9	10	2.0	12	7.3
6	M6	8	2.0	10	2.5	12	8.9

Heavy series (DIN 3015, part 2)

Size	Fixing screw DIN 931/933	Polypropylene		Polyamide		Aluminium	
		Screw tightening torque (Mn)	Pipe shearing force F (kN)	Screw tightening torque (Mn)	Pipe shearing force F (kN)	Screw tightening torque (Mn)	Pipe shearing force F (kN)
1	M10	12	1.6	20	4.2	30	12.1
2	M10	12	2.9	20	4.5	30	15.1
3	M10	15	3.3	25	5.1	35	15.5
4	M12	30	8.2	40	9.3	55	29.4
5	M16	45	11.0	55	15.8	120	34.8
6	M20	80	14.0	150	21.0	220	50.0
7	M24	110	28.0	200	32.0	250	70.6
8	M30	180	40.0	350	48.0	500	84.5


Double series (DIN 3015, part 3)

Size	Fixing screw DIN 931/933	Polypropylene		Polyamide	
		Screw tightening torque (Mn)	Pipe shearing force F (kN)	Screw tightening torque (Mn)	Pipe shearing force F (kN)
1	M6	5	0.9	5	0.9
2	M8	12	2.1	12	2.2
3	M8	12	1.9	12	2.0
4	M8	12	2.7	12	2.9
5	M8	8	1.7	8	2.5

Tube clamps


DIN 3015

Recommended clamp pitch



The clamp pitches corresponding to respective outside pipe diameters are standard for static loads.

Pipe bend assembly



Pipe bends must be fixed with pipe clamps immediately in front of and behind the bend.

Outside pipe diameter (mm)	Clamp pitch A (m)
6.0– 12.7	1.0
12.7– 22.0	1.2
22.0– 32.0	1.5
32.0– 38.0	2.0
38.0– 57.0	2.7
57.0– 75.0	3.0
75.0– 76.1	3.5
76.1– 88.9	3.7
88.9–102.0	4.0
102.0–114.0	4.5
114.0–168.0	5.0
168.0–219.0	6.0


Tube clamps series A (Light construction series) – Components

DIN 3015, part 1


Order code for clamp halves:

Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG**
 Aluminium – **RAA¹⁾**


(Please exchange as required standard abbreviation
 RAP in column for "clamp halves")




size 0




size 0




size 0




size 0




size 1–6



size 1–6
Width: 30 mm



size 1–6



size 1–6
Thickness:
3 mm

clamp size	Tube O.D. mm a	Tube NB	Tube O.D.	1 part 2 clamp halves					welding plate, short		
				RAP... Order code	dimensions: b c d e					APK A... Order code	dimensions: d e
0	6.0	G 1/8	1/4	RAP006X RAP006.4X RAP008X RAP009.5X RAP010X RAP012X	28	27	–	13.5	APKA0X	–	30
	6.4										
	8.0										
	9.5										
	10.0										
	12.0										
1	6.0	G 1/8	1/4	RAP106X RAP106.4X RAP108X RAP109.5X RAP110X RAP112X	34	27	20	13.5	APKA1X	20	36
	6.4										
	8.0										
	9.5										
	10.0										
	12.0										
2	12.7	G 1/4	1/2	RAP212.7X RAP213.5X RAP214X RAP215X RAP216X RAP217.2X RAP218X	40	33	26	16.5	APKA2X	26	42
	13.5										
	14.0										
	15.0	G 3/8	5/8	RAP216X RAP217.2X RAP218X	40	33	26	16.5	APKA2X	26	42
	16.0										
	17.2										
3	18.0	G 1/2	3/4	RAP319X RAP320X RAP321.3X RAP322X RAP323X RAP325X	48	35	33	17.5	APKA3X	33	50
	19.0										
	20.0										
	21.3										
	22.0										
	23.0										
4	25.0	G 3/4	1	RAP426.9X RAP428X RAP430X	57	42	40	21	APKA4X	40	59
	26.9										
	28.0										
	30.0										
5	32.0	G 1	1 1/4	RAP532X RAP533.7X RAP535X RAP538X RAP540X RAP542X	70	58	52	29	APKA5X	52	72
	33.7										
	35.0										
	38.0	G 1 1/4	1 1/2	RAP532X RAP533.7X RAP535X RAP538X RAP540X RAP542X	70	58	52	29	APKA5X	52	72
	40.0										
	42.0										
6	44.5	G 1 1/2	1 3/4	RAP644.5X RAP645X RAP648X RAP650X RAP650.8X RAP652X RAP655X RAP657X	86	66	66	33	APKA6X	66	88
	45.0										
	48.0										
	50.0										
	50.8	G 1 1/2	2	RAP644.5X RAP645X RAP648X RAP650X RAP650.8X RAP652X RAP655X RAP657X	86	66	66	33	APKA6X	66	88
	52.0										
	55.0										
	57.0										

Continuation see next page ...


Tube clamps series A (Light construction series) – Components (Continued)

DIN 3015, part 1


Order code for clamp halves:

Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG**
 Aluminium – **RAA¹⁾**


(Please exchange as required standard abbreviation
 RAP in column for "clamp halves")




size 0




size 0




size 0




size 0




size 1–6



size 1–6
Width: 30 mm



size 1–6



size 1–6
Thickness:
3 mm


clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves				welding plate, short					
	a			RAP... Order code	dimensions: b c d e				APK A... Order code	dimensions: d e			
7	57.2	G 2	2 1/4	RAP757.2X	121	93.6	94	46.8	APKA7X	94	122		
	60.3												
	63,5		2 1/2	RAP-760.3X									
	70.0		2 3/4	RAP-763.50X									
	73.0			RAP-770X									
	76.1		RAP-773X										
		G 2 1/2	3	RAP-776.1X									
8	88.9	G 3		RAP-888.9X	147	117.6	120	58.8	APKA8X	120	148		
	101.8		4	RAP-8101.8X									

When assembling solid rubber clamps, covering plates, hexagon screws and locking washers must be used. All metal parts available in stainless steel.

¹⁾ Aluminium only sizes 1 to 6.

Tube clamps series A (Light construction series) – Components

DIN 3015, part 1









clamp size	weld/screw plate, long			twin welding plate			multiple weld plate					
	APL A... Order code	dimensions:			APD A... Order code	dimensions:			APR A... Order code	dimensions:		
		d	e	f		d	a	e		d	a	e
0	APLA0X	—	58	44	APDA0X	—	30	61	APRA0X (10 clamps)	—	30	298
1	APLA1X	20	64	50	APDA1X	20	35	69	APRA1X (10 clamps)	20	35	349
2	APLA2X	26	70	56	APDA2X	26	43	86	APRA2X (10 clamps)	26	43	427
3	APLA3X	33	78	64	APDA3X	33	52	104	APRA3X (10 clamps)	33	52	516
4	APLA4X	40	87	73	APDA4X	40	60	117	APRA4X (5 clamps)	40	60	297
5	APLA5X	52	100	86	APDA5X	52	75	145	APRA5X (5 clamps)	52	75	370
6	APLA6X	66	116	100	APDA6X	66	90	176	APRA6X (5 clamps)	66	90	446
7	APLA7X	94	150	136								
8	APLA8X	120	178	162								

Metal parts also available in stainless steel.

Tube clamps series A (Light construction series) – Components

DIN 3015, part 1

 size 0	 size 0	 size 1–6	 size 1–6 Thickness: 3 mm	 1 or 2 mtr	 	
clamp size	weld plate, angled		mounting rail		rail nut	
	APW A... Order code	dimensions: d e	TS...A/B Order code	dimensions: h	TM...A/B1 Order code	dimensions: a b c m
0	APWA0X	14 30	TS11A/B1X TS11A/B2X TS14A/B1X TS14A/B2X TS30A/B1X TS30A/B2X	TS11: 11 TS14: 14 TS30: 30	TMA/TMB1VERZX	25.4 10.4 12 M6
1	APWA1X	20 36				
2	APWA2X	26 42				
3	APWA3X	33 50				
4	APWA4X	40 59				
5	APWA5X	52 72				
6	APWA6X	66 88				

Metal parts also available in stainless steel.

Tube clamps series A (Light construction series) – Components

DIN 3015, part 1

	 size 0		 size 0		 DIN 84		 DIN 931/933		 DIN912	
	 size 1–6 Thickness: 3 mm		 size 1–6							
clamp size	cover plate		slot head		hexagon head		socket head			
	DP A... Order code	dimensions: b d	SL A... Order code	dimensions: d × L	SSL A... Order code	dimensions: d × L	IS A... Order code	dimensions: d × L		
0	DPA0X	– –	SLA0X	M 06×20	SSLA0X	M 06×30	ISA0X	M 06×20		
1	DPA1X	34 20	SLA1X	M 06×20	SSLA0X	M 06×30	ISA0X	M 06×20		
2	DPA2X	40 26	SLA2X	M 06×25	SSLA2/SSB1X	M 06×35	ISA2X	M 06×25		
3	DPA3X	48 33	SLA3X	M 06×30	SSLA3X	M 06×40	ISA3X	M 06×30		
4	DPA4X	57 40	SLA4X	M 06×35	SSLA4X	M 06×45	ISA4X	M 06×35		
5	DPA5X	70 52	SLA5X	M 06×50	SSLA5X	M 06×60	ISA5X	M 06×50		
6	DPA6X	86 66	SLA6X	M 06×60	SSLA6X	M 06×70	ISA6X	M 06×60		
7	DPA7X	120 94			SSLA7X	M 06×100				
8	DPA8X	146 120			SSLA8X	M 06×125				

All metal parts available in stainless steel.

Tube clamps series A (Light construction series) – Components

DIN 3015, part 1

clamp size	AS A... Order code	stacking ¹⁾ dimensions: a b	SB A Order code	locking plate ¹⁾ dimensions: a SW	US A Order code	locking washer ²⁾ dimensions: a b
0	ASA0X (ASB1X)	20 34	SBAX	30 11	USA/USB1X	9 18
1	ASA0X (ASB1X)	20 34				
2	ASA2X	25 39				
3	ASA3X	30 44				
4	ASA4X	35 49				
5	ASA5X	50 64				
6	ASA6X	60 74				

¹⁾ The use of stacking bolts necessitates the use of locking plates in the construction assembly.


²⁾ When assembling solid rubber clamps, cover plates, hexagon screws and locking washers must be used.
Metal parts also available in stainless steel.

Tube clamps series A (Light construction series) – Complete range


Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG***
 Aluminium – **RAA**

(As required please exchange standard abbreviation RAP in column for “Order code”)


2 clamp halves, weld plate **short**, slot head bolts and bushes



2 clamp halves, weld plate **short**, socket head bolts and bushes



2 clamp halves, weld plate **short**, cover plate hex. head bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
0 ¹⁾	6.0	G 1/8	1/4 5/16 3/8	RAP1-006	RAP2-006	RAP3-006
	6.4			RAP1-006.4	RAP2-006.4	RAP3-006.4
	8.0			RAP1-008	RAP2-008	RAP3-008
	9.5			RAP1-009.5	RAP2-009.5	RAP3-009.5
	10.0			RAP1-010	RAP2-010	RAP3-010
	12.0			RAP1-012	RAP2-012	RAP3-012
1	6.0	G 1/8	1/4 5/16 3/8	RAP1-106	RAP2-106	RAP3-106
	6.4			RAP1-106.4	RAP2-106.4	RAP3-106.4
	8.0			RAP1-108	RAP2-108	RAP3-108
	9.5			RAP1-109.5	RAP2-109.5	RAP3-109.5
	10.0			RAP1-110	RAP2-110	RAP3-110
	12.0			RAP1-112	RAP2-112	RAP3-112
2	12.7	G 1/4	1/2	RAP1-212.7	RAP2-212.7	RAP3-212.7
	13.5			RAP1-213.5	RAP2-213.5	RAP3-213.5
	14.0			RAP1-214	RAP2-214	RAP3-214
	15.0	G 3/8	5/8	RAP1-215	RAP2-215	RAP3-215
	16.0			RAP1-216	RAP2-216	RAP3-216
	17.2			RAP1-217.2	RAP2-217.2	RAP3-217.2
3	19.0	G 1/2	3/4	RAP1-319	RAP2-319	RAP3-319
	20.0			RAP1-320	RAP2-320	RAP3-320
	21.3			RAP1-321.3	RAP2-321.3	RAP3-321.3
	22.0		1	RAP1-322	RAP2-322	RAP3-322
	23.0			RAP1-323	RAP2-323	RAP3-323
	25.0			RAP1-325	RAP2-325	RAP3-325
4	26.9	G 3/4		RAP1-426.9	RAP2-426.9	RAP3-426.9
	28.0			RAP1-428	RAP2-428	RAP3-428
	30.0			RAP1-430	RAP2-430	RAP3-430
5	32.0	G 1	1 1/4	RAP1-532	RAP2-532	RAP3-532
	33.7			RAP1-533.7	RAP2-533.7	RAP3-533.7
	35.0			RAP1-535	RAP2-535	RAP3-535
	38.0	G 1 1/4	1 1/2	RAP1-538	RAP2-538	RAP3-538
	40.0			RAP1-540	RAP2-540	RAP3-540
	42.0			RAP1-542	RAP2-542	RAP3-542
6	44.5	G 1 1/2	1 3/4	RAP1-644.5	RAP2-644.5	RAP3-644.5
	45.0			RAP1-645	RAP2-645	RAP3-645
	48.0			RAP1-648	RAP2-648	RAP3-648
	50.0		2	RAP1-650	RAP2-650	RAP3-650
	50.8			RAP1-650.8	RAP2-650.8	RAP3-650.8
	52.0			RAP1-652	RAP2-652	RAP3-652
	55.0		2 1/4	RAP1-655	RAP2-655	RAP3-655
	57.0			RAP1-657	RAP2-657	RAP3-657

Delivery in unassembled individual components.


¹⁾ Contrary to the illustration size 0 clamps are secured by only one screw.

* Only with cover plate, hexagon screws and locking washers.

Tube clamps series A (Light construction series) – Complete range

Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG***
 Aluminium – **RAA**

(As required please exchange standard abbreviation RAP in column for “Order code”)



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
0 ¹⁾	6.0	G 1/8	1/4 5/16 3/8	RAP4-006	RAP5-006	RAP6-006
	6.4			RAP4-006.4	RAP5-006.4	RAP6-006.4
	8.0			RAP4-008	RAP5-008	RAP6-008
	9.5			RAP4-009.5	RAP5-009.5	RAP6-009.5
	10.0			RAP4-010	RAP5-010	RAP6-010
	12.0			RAP4-012	RAP5-012	RAP6-012
1	6.0	G 1/8	1/4 5/16 3/8	RAP4-106	RAP5-106	RAP6-106
	6.4			RAP4-106.4	RAP5-106.4	RAP6-106.4
	8.0			RAP4-108	RAP5-108	RAP6-108
	9.5			RAP4-109.5	RAP5-109.5	RAP6-109.5
	10.0			RAP4-110	RAP5-110	RAP6-110
	12.0			RAP4-112	RAP5-112	RAP6-112
2	12.7	G 1/4	1/2	RAP4-212.7	RAP5-212.7	RAP6-212.7
	13.5			RAP4-213.5	RAP5-213.5	RAP6-213.5
	14.0			RAP4-214	RAP5-214	RAP6-214
	15.0	G 3/8	5/8	RAP4-215	RAP5-215	RAP6-215
	16.0			RAP4-216	RAP5-216	RAP6-216
	17.2			RAP4-217.2	RAP5-217.2	RAP6-217.2
3	19.0	G 1/2	3/4	RAP4-319	RAP5-319	RAP6-319
	20.0			RAP4-320	RAP5-320	RAP6-320
	21.3			RAP4-321.3	RAP5-321.3	RAP6-321.3
	22.0		1	RAP4-322	RAP5-322	RAP6-322
	23.0			RAP4-323	RAP5-323	RAP6-323
	25.0			RAP4-325	RAP5-325	RAP6-325
4	26.9	G 3/4		RAP4-426.9	RAP5-426.9	RAP6-426.9
	28.0			RAP4-428	RAP5-428	RAP6-428
	30.0			RAP4-430	RAP5-430	RAP6-430
5	32.0	G 1	1 1/4	RAP4-532	RAP5-532	RAP6-532
	33.7			RAP4-533.7	RAP5-533.7	RAP6-533.7
	35.0			RAP4-535	RAP5-535	RAP6-535
	38.0	G 1 1/4	1 1/2	RAP4-538	RAP5-538	RAP6-538
	40.0			RAP4-540	RAP5-540	RAP6-540
	42.0			RAP4-542	RAP5-542	RAP6-542
6	44.5	G 1 1/2	1 3/4	RAP4-644.5	RAP5-644.5	RAP6-644.5
	45.0			RAP4-645	RAP5-645	RAP6-645
	48.0			RAP4-648	RAP5-648	RAP6-648
	50.0		2	RAP4-650	RAP5-650	RAP6-650
	50.8			RAP4-650.8	RAP5-650.8	RAP6-650.8
	52.0			RAP4-652	RAP5-652	RAP6-652
	55.0		2 1/4	RAP4-655	RAP5-655	RAP6-655
	57.0			RAP4-657	RAP5-657	RAP6-657

Delivery in unassembled individual components.

¹⁾ Contrary to the illustration size 0 clamps are secured by only one screw.


* Only with cover plate, hexagon screws and locking washers.

Tube clamps series A (Light construction series) – Complete range


Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG***
 Aluminium – **RAA**

(As required please exchange standard abbreviation RAP in column for “Order code”)


2 clamp halves, rail nuts, slot head bolts and bushes



2 clamp halves, rail nuts, socket head bolts and bushes



2 clamp halves, rail nuts, cover plate and hex. head bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
0 ¹⁾	6.0	G 1/8	1/4 5/16 3/8	RAP9-006	RAP10-006	RAP12-006
	6.4			RAP9-006.4	RAP10-006.4	RAP12-006.4
	8.0			RAP9-008	RAP10-008	RAP12-008
	9.5			RAP9-009.5	RAP10-009.5	RAP12-009.5
	10.0			RAP9-010	RAP10-010	RAP12-010
	12.0			RAP9-012	RAP10-012	RAP12-012
1	6.0	G 1/8	1/4 5/16 3/8	RAP9-106	RAP10-106	RAP12-106
	6.4			RAP9-106.4	RAP10-106.4	RAP12-106.4
	8.0			RAP9-108	RAP10-108	RAP12-108
	9.5			RAP9-109.5	RAP10-109.5	RAP12-109.5
	10.0			RAP9-110	RAP10-110	RAP12-110
	12.0			RAP9-112	RAP10-112	RAP12-112
2	12.7	G 1/4	1/2	RAP9-212.7	RAP10-212.7	RAP12-212.7
	13.5			RAP9-213.5	RAP10-213.5	RAP12-213.5
	14.0			RAP9-214	RAP10-214	RAP12-214
	15.0	G 3/8	5/8	RAP9-215	RAP10-215	RAP12-215
	16.0			RAP9-216	RAP10-216	RAP12-216
	17.2			RAP9-217.2	RAP10-217.2	RAP12-217.2
3	18.0	G 1/2	3/4	RAP9-218	RAP10-218	RAP12-218
	19.0			RAP9-319	RAP10-319	RAP12-319
	20.0			RAP9-320	RAP10-320	RAP12-320
	21.3		1	RAP9-321.3	RAP10-321.3	RAP12-321.3
	22.0			RAP9-322	RAP10-322	RAP12-322
	23.0			RAP9-323	RAP10-323	RAP12-323
4	25.0			RAP9-325	RAP10-325	RAP12-325
	26.9	G 3/4		RAP9-426.9	RAP10-426.9	RAP12-426.9
	28.0			RAP9-428	RAP10-428	RAP12-428
5	30.0			RAP9-430	RAP10-430	RAP12-430
	32.0	G 1	1 1/4	RAP9-532	RAP10-532	RAP12-532
	33.7			RAP9-533.7	RAP10-533.7	RAP12-533.7
	35.0			RAP9-535	RAP10-535	RAP12-535
	38.0	G 1 1/4	1 1/2	RAP9-538	RAP10-538	RAP12-538
	40.0			RAP9-540	RAP10-540	RAP12-540
6	42.0			RAP9-542	RAP10-542	RAP12-542
	44.5	G 1 1/2	1 3/4	RAP9-644.5	RAP10-644.5	RAP12-644.5
	45.0			RAP9-645	RAP10-645	RAP12-645
	48.0			RAP9-648	RAP10-648	RAP12-648
	50.0		2	RAP9-650	RAP10-650	RAP12-650
	50.8			RAP9-650.8	RAP10-650.8	RAP12-650.8
	52.0			RAP9-652	RAP10-652	RAP12-652
	55.0			RAP9-655	RAP10-655	RAP12-655
	57.0		2 1/4	RAP9-657	RAP10-657	RAP12-657

Delivery in unassembled individual components.

¹⁾ Contrary to the illustration size 0 clamps are secured by only one screw.


* Only with cover plate, hexagon screws and locking washers.

Tube clamps series A – Complete range


Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG***
 Aluminium – **RAA**

(As required please exchange standard abbreviation RAP in column for “Order code”)

2 clamp halves, slot heads and bushes



2 clamp halves, socket head bolts and bushes



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
0 ¹⁾	6.0	G 1/8	1/4 5/16 3/8	RAP13-006	RAP14-006
	6.4			RAP13-006.4	RAP14-006.4
	8.0			RAP13-008	RAP14-008
	9.5			RAP13-009.5	RAP14-009.5
	10.0			RAP13-010	RAP14-010
	12.0			RAP13-012	RAP14-012
1	6.0	G 1/8	1/4 5/16 3/8	RAP13-106	RAP14-106
	6.4			RAP13-106.4	RAP14-106.4
	8.0			RAP13-108	RAP14-108
	9.5			RAP13-109.5	RAP14-109.5
	10.0			RAP13-110	RAP14-110
	12.0			RAP13-112	RAP14-112
2	12.7	G 1/4	1/2	RAP13-212.7	RAP14-212.7
	13.5			RAP13-213.5	RAP14-213.5
	14.0			RAP13-214	RAP14-214
	15.0	G 3/8	5/8	RAP13-215	RAP14-215
	16.0			RAP13-216	RAP14-216
	17.2			RAP13-217.2	RAP14-217.2
3	18.0	G 1/2	3/4 1	RAP13-218	RAP14-218
	19.0			RAP13-319	RAP14-319
	20.0			RAP13-320	RAP14-320
	21.3			RAP13-321.3	RAP14-321.3
	22.0			RAP13-322	RAP14-322
	23.0			RAP13-323	RAP14-323
4	25.0	G 3/4		RAP13-325	RAP14-325
	26.9			RAP13-426.9	RAP14-426.9
	28.0			RAP13-428	RAP14-428
5	30.0	G 1 G 1 1/4	1 1/4 1 1/2	RAP13-430	RAP14-430
	32.0			RAP13-532	RAP14-532
	33.7			RAP13-533.7	RAP14-533.7
	35.0			RAP13-535	RAP14-535
	38.0			RAP13-538	RAP14-538
	40.0			RAP13-540	RAP14-540
6	42.0			RAP13-542	RAP14-542
	44.5	G 1 1/2	1 3/4 2 2 1/4	RAP13-644.5	RAP14-644.5
	45.0			RAP13-645	RAP14-645
	48.0			RAP13-648	RAP14-648
	50.0			RAP13-650	RAP14-650
	50.8			RAP13-650.8	RAP14-650.8
	52.0			RAP13-652	RAP14-652
	55.0			RAP13-655	RAP14-655
	57.0			RAP13-657	RAP14-657

Delivery in unassembled individual components.

¹⁾ Contrary to the illustration size 0 clamps are secured by only one screw.


* Only with cover plate, hexagon screws and locking washers.

Tube clamps series A – Complete range


Polypropylene – **RAP**
 Inside smooth – **RAPG**
 Polyamide 6 – **RAN**
 Inside smooth – **RANG**
 Rubber – **RAVG***
 Aluminium – **RAA**

(As required please exchange standard abbreviation RAP in column for “Order code”)

2 clamp halves, cover plate and hex. head bolts



2 clamp halves, stacking bolts and locking plate



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
0 ¹⁾	6.0	G 1/8	1/4 5/16 3/8	RAP16-006	RAP18-006
	6.4			RAP16-006.4	RAP18-006.4
	8.0			RAP16-008	RAP18-008
	9.5			RAP16-009.5	RAP18-009.5
	10.0			RAP16-010	RAP18-010
	12.0			RAP16-012	RAP18-012
1	6.0	G 1/8	1/4 5/16 3/8	RAP16-106	RAP18-106
	6.4			RAP16-106.4	RAP18-106.4
	8.0			RAP16-108	RAP18-108
	9.5			RAP16-109.5	RAP18-109.5
	10.0			RAP16-110	RAP18-110
	12.0			RAP16-112	RAP18-112
2	12.7	G 1/4	1/2	RAP16-212.7	RAP18-212.7
	13.5			RAP16-213.5	RAP18-213.5
	14.0			RAP16-214	RAP18-214
	15.0	G 3/8	5/8	RAP16-215	RAP18-215
	16.0			RAP16-216	RAP18-216
	17.2			RAP16-217.2	RAP18-217.2
3	18.0	G 1/2	3/4 1	RAP16-218	RAP18-218
	19.0			RAP16-319	RAP18-319
	20.0			RAP16-320	RAP18-320
	21.3			RAP16-321.3	RAP18-321.3
	22.0			RAP16-322	RAP18-322
	23.0			RAP16-323	RAP18-323
4	25.0			RAP16-325	RAP18-325
	26.9	G 3/4		RAP16-426.9	RAP18-426.9
	28.0			RAP16-428	RAP18-428
5	30.0			RAP16-430	RAP18-430
	32.0	G 1	1 1/4	RAP16-532	RAP18-532
	33.7			RAP16-533.7	RAP18-533.7
	35.0			RAP16-535	RAP18-535
	38.0	G 1 1/4	1 1/2	RAP16-538	RAP18-538
	40.0			RAP16-540	RAP18-540
6	42.0			RAP16-542	RAP18-542
	44.5	G 1 1/2	1 3/4	RAP16-644.5	RAP18-644.5
	45.0			RAP16-645	RAP18-645
	48.0			RAP16-648	RAP18-648
	50.0			RAP16-650	RAP18-650
	50.8		2	RAP16-650.8	RAP18-650.8
	52.0			RAP16-652	RAP18-652
	55.0			RAP16-655	RAP18-655
	57.0			RAP16-657	RAP18-657

Delivery in unassembled individual components.

¹⁾ Contrary to the illustration size 0 clamps are secured by only one screw.

* Only with cover plate, hexagon screws and locking washers.





Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3

Order code for clamp halves:

Polypropylene – **RBP**
 Inside smooth – **RBPB**
 Polyamide 6 – **RBN**
 Rubber – **RBVG**

(Please exchange standard abbreviation RBP in column for "clamp halves" as required.)



Width: 30 mm




clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves¹)					weld plate		
				RBP... Order code	dimensions: b c d e				APB... Order code	dimensions: g m	
1	6.0	G 1/8	1/4 5/16 3/8	RBP106X RBP106.4X RBP108X RBP109.5X RBP110X RBP112X	36	27	20	13.5	APB1X	37	M6
	6.4										
	8.0										
	9.5										
	10.0										
	12.0										
2	12.7	G 1/4	1/2	RBP212.7X RBP213.5X RBP214X RBP215X RBP216X RBP217.2X RBP218X	53	26	29	13	APB2X	55	M8
	13.5										
	14.0										
	15.0										
	16.0	G 3/8	5/8								
	17.2										
	18.0										
	Thickness: 3 mm										
3	19.0	G 1/2	3/4	RBP319X RBP320X RBP321.3X RBP322X RBP325X	67	37	36	18.5	APB3X	70	M8
	20.0										
	21.3										
	22.0		1								
	25.0										
	Thickness: 5 mm										
4	26.9	G 3/4		RBP426.9X RBP428X RBP430X	82	42	45	21	APB4X	85	M8
	28.0										
	30.0										
5	32.0	G 1	1 1/4	RBP532X RBP533.7X RBP535X RBP538X RBP542X	106	54	56	27	APB5X	110	M8
	33.7										
	35.0										
	38.0										
	42.0	G 1 1/4	1 1/2								
	Thickness: 5 mm										

Metal parts also available in stainless steel.

¹⁾ Twin-tube clamps with different outer tube diameters upon request.





Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3

						
	weld plate, angled		mounting rail		rail nut	
clamp size	APW A... Order code	dimensions: d e	TS...A/B Order code	dimensions: h	TM...A/B1 Order code	dimensions: a b c m
1	APRB1X (5 clamps)	40 196 Thickness: 3 mm	TS11A/B1X TS11A/B2X TS14A/B1X TS14A/B2X TS30A/B1X TS30A/B2X	TS11: 11 TS14: 14 TS30: 30	TMA/TMB1VERZX	25.4 10.4 12 M6
2	APRB2X (5 clamps)	58 288 Thickness: 5 mm			TMB2X	25.4 10.4 12 M8
3	APRB3X (5 clamps)	72 358 Thickness: 5 mm				
4	APRB4X (5 clamps)	90 446 Thickness: 5 mm				
5	APRB5X (5 clamps)	112 558 Thickness: 5 mm				

Tube clamps series B (Twin-tube clamps) – Components






DIN 3015, part 3

					
			DIN 931/933		
clamp size	cover plate	hexagonal head			
	DP B... Order code	dimensions: b d		SS B... Order code	dimensions: d x L
1	DPB1X	34	6.6	SSLA2/SSB1X	M 06x35
2	DPB2X	51	8.6	SSB2X	M 08x35
3	DPB3X	64	8.6	SSB3X	M 08x45
4	DPB4X	78	8.6	SSB4X	M 08x50
5	DPB5X	102	8.6	SSB5X	M 08x60

Metal parts also available in stainless steel.

Tube clamps series B (Twin-tube clamps) – Components

DIN 3015, part 3

	  DIN 912	 	 	 							
clamp size	socket head		stacking				locking plate ¹⁾		locking washer ²⁾		
	IS B... Order code	dimensions: d × L	AS B... Order code	dimensions: a b m SW				SB B... Order code	dim.: SW	US... Order code	dimensions: a b
1	ISA4X (ISB1X)	M 06×35	ASA0X (ASB1X)	20	34	M6	11	SBB1X	11	USA/USB1X	9 18
2	ISB2X	M 08×35	ASB2X	20	33	M8	12	SBB2X	12	USB2X	11 20
3	ISB3X	M 08×45	ASB3X	29	44	M8	12				
4	ISB4X	M 08×50	ASB4X	34	49	M8	12				
5	ISB5X	M 08×60	ASB5X	47	62	M8	12				

¹⁾ The use of stacking screws necessitates the use of locking plates in the construction assembly!


²⁾ When assembling solid rubber clamps, covering plates, hexagon screws and locking washers must be used.
Metal parts also available in stainless steel.

Tube clamps series B – Complete range


Polypropylene – **RBP**
 Inside smooth – **RBPG**
 Polyamide 6 – **RBN**
 Rubber – **RBVG***

(As required please exchange standard abbreviation RBP in column for “Order code”)

2 clamp halves, weld plate,
cover plate, hex. head bolt



2 clamp halves, weld plate,
cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
1	6.0	G 1/8	1/4 5/16 3/8	RBP1-106	RBP3-106
	6.4			RBP1-106.4	RBP3-106.4
	8.0			RBP1-108	RBP3-108
	9.5			RBP1-109.5	RBP3-109.5
	10.0			RBP1-110	RBP3-110
	12.0			RBP1-112	RBP3-112
2	12.7	G 1/4	1/2	RBP1-212.7	RBP3-212.7
	13.5			RBP1-213.5	RBP3-213.5
	14.0			RBP1-214	RBP3-214
	15.0	G 3/8	5/8	RBP1-215	RBP3-215
	16.0			RBP1-216	RBP3-216
	17.2			RBP1-217.2	RBP3-217.2
	18.0			RBP1-218	RBP3-218
				3	19.0
20.0	RBP1-320	RBP3-320			
21.3	RBP1-321.3	RBP3-321.3			
22.0	RBP1-322	RBP3-322			
25.0	RBP1-325	RBP3-325			
4	26.9	G 3/4		RBP1-426.9	RBP3-426.9
	28.0			RBP1-428	RBP3-428
	30.0			RBP1-430	RBP3-430
5	32.0	G 1	1 1/4	RBP1-532	RBP3-532
	33.7			RBP1-533.7	RBP3-533.7
	35.0		G 1 1/4	1 1/2	RBP1-535
	38.0	RBP1-538			RBP3-538
	42.0	RBP1-542			RBP3-542


Delivery in unassembled individual components.

*Only with cover plate, hexagon screws and locking washers.

Tube clamps series B – Complete range

Polypropylene – **RBP**
 Inside smooth – **RBPG**
 Polyamide 6 – **RBN**
 Rubber – **RBVG***

(As required please exchange standard abbreviation RBP in column for “Order code”)



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
1	6.0	G 1/8	1/4 5/16 3/8	RBP4-106	RBP5-106	RBP8-106
	6.4			RBP4-106.4	RBP5-106.4	RBP8-106.4
	8.0			RBP4-108	RBP5-108	RBP8-108
	9.5			RBP4-109.5	RBP5-109.5	RBP8-109.5
	10.0			RBP4-110	RBP5-110	RBP8-110
	12.0			RBP4-112	RBP5-112	RBP8-112
2	12.7	G 1/4 G 3/8	1/2 5/8	RBP4-212.7	RBP5-212.7	RBP8-212.7
	13.5			RBP4-213.5	RBP5-213.5	RBP8-213.5
	14.0			RBP4-214	RBP5-214	RBP8-214
	15.0			RBP4-215	RBP5-215	RBP8-215
	16.0			RBP4-216	RBP5-216	RBP8-216
	17.2			RBP4-217.2	RBP5-217.2	RBP8-217.2
3	18.0			RBP4-218	RBP5-218	RBP8-218
	19.0	G 1/2	3/4 1	RBP4-319	RBP5-319	RBP8-319
	20.0			RBP4-320	RBP5-320	RBP8-320
	21.3			RBP4-321.3	RBP5-321.3	RBP8-321.3
	22.0			RBP4-322	RBP5-322	RBP8-322
	25.0			RBP4-325	RBP5-325	RBP8-325
4	26.9	G 3/4		RBP4-426.9	RBP5-426.9	RBP8-426.9
	28.0			RBP4-428	RBP5-428	RBP8-428
	30.0			RBP4-430	RBP5-430	RBP8-430
5	32.0	G 1 G 1 1/4	1 1/4 1 1/2	RBP4-532	RBP5-532	RBP8-532
	33.7			RBP4-533.7	RBP5-533.7	RBP8-533.7
	35.0			RBP4-535	RBP5-535	RBP8-535
	38.0			RBP4-538	RBP5-538	RBP8-538
	42.0			RBP4-542	RBP5-542	RBP8-542

Delivery in unassembled individual components.

*Only with cover plate, hexagon screws and locking washers.





Tube clamps series C (Heavy series) – Components

DIN 3015, part 2

Order code for clamp halves:

Polypropylene – **RCP**
 Inside smooth – **RCPG¹⁾**
 Polyamide 6 – **RCN¹⁾**
 Rubber – **RCVR**
 Aluminium – **RCA**

(Please exchange as required standard abbreviation
 RCP in column for “clamp halves”)



RCPD
 (= 2XRCP...)

clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves						1 part 4 clamp halves					
				RCP... Order code	dimensions:					RCPD... Order code	dimensions:				
					b	c	d	e	f		b	c	d	e	f
1	6.0	G 1/8	5/16	RCP106X	55	32	33	16	30	RCPD106	55	32	33	16	60
	8.0		1/2	RCP108X						RCPD108					
	10.0			RCP110X						RCPD110					
	12.0	G 1/4	1/2	RCP112X						RCPD112					
	12.7			RCP112.7X						RCPD112.7					
	13.5			RCP113.5X						RCPD113.5					
	14.0	G 3/8	5/8	RCP114X						RCPD114					
	15.0			RCP115X						RCPD115					
	16.0			RCP116X						RCPD116					
	17.2			RCP117.2X						RCPD117.2					
	18.0			RCP118X						RCPD118					
2	19.0	G 1/2	3/4	RCP219X	70	48	45	24	30	RCPD219	70	48	45	24	60
	20.0		1	RCP220X						RCPD220					
	21.3			RCP221.3X						RCPD221.3					
	22.0			RCP222X						RCPD222					
	23.0	G 3/4	1	RCP223X						RCPD223					
	25.0			RCP225X						RCPD225					
	26.9			RCP226.9X						RCPD226.9					
	28.0			RCP228X						RCPD228					
	30.0			RCP230X						RCPD230					
3	30.0	G 1	1 1/4	RCP330X	85	60	60	30	30	RCPD330	85	60	60	30	60
	32.0		1 1/2	RCP332X						RCPD332					
	33.7			RCP333.7X						RCPD333.7					
	35.0			RCP335X						RCPD335					
	38.0	G 1 1/4		RCP338X						RCPD338					
	39.0			RCP339X						RCPD339					
	40.0			RCP340X						RCPD340					
	42.0			RCP342X						RCPD342					
4	38.0	G 1 1/4	1 1/2	RCP438X	115	90	90	45	45	RCPD438	115	90	90	45	90
	39.0		2	RCP439X						RCPD439					
	40.0			RCP440X						RCPD440					
	42.0			RCP442X						RCPD442					
	45.0			RCP445X						RCPD445					
	46.0			RCP446X						RCPD446					
	48.3	G 1 1/2		RCP448.3X						RCPD448.3					
	50.0			RCP450X						RCPD450					
	51.0			RCP451X						RCPD451					
	52.0	G 2	2 1/4	RCP452X						RCPD452					
	55.0			RCP455X						RCPD455					
	56.0			RCP456X						RCPD456					
	57.0			RCP457X						RCPD457					
	60.3		2 1/2	RCP460.3X						RCPD460.3					
	63.0			RCP463X						RCPD463					
	65.0			RCP465X						RCPD465					
	66.0			RCP466X						RCPD466					

Continuation see next page ...





Tube clamps series C (Heavy series) – Components (Continued)

DIN 3015, part 2

Order code for clamp halves:

Polypropylene – **RCP**
 Inside smooth – **RCPG**¹⁾
 Polyamide 6 – **RCN**¹⁾
 Rubber – **RCVR**
 Aluminium – **RCA**

(Please exchange as required standard abbreviation
 RCP in column for “clamp halves”)



RCPD
 (= 2XRCP...)

clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves						1 part 4 clamp halves					
				RCP... Order code	dimensions:					RCPD... Order code	dimensions:				
					b	c	d	e	f		b	c	d	e	f
5	70.0	G 2 1/2	3	RCP470X	152	120	122	60	60	RCPD470	152	120	122	60	120
	70.0			RCP570X						RCPD570					
	73.0			RCP573X						RCPD573					
	75.0			RCP575X						RCPD575					
	76.1			RCP576.1X						RCPD576.1					
	80.0	G 3	3 1/4	RCP580X						RCPD580					
	82.5			RCP582.5X						RCPD582.5					
	88.9			RCP588.9X						RCPD588.9					
	90.0			RCP590X						RCPD590					
6	90.0	G 3 1/2	4	RCP690X	205	170	168	85	80	RCPD690	205	170	168	85	160
	97.0			RCP697X						RCPD697					
	100.0			RCP6100X						RCPD6100					
	101.6			RCP6101.6X						RCPD6101.6					
	108.0	G 4	4 1/4	RCP6108X						RCPD6108					
	114.3			RCP6114.3X						RCPD6114.3					
	127.0			RCP6127X						RCPD6127					
7	127.0	G 5	5	RCP7127X	250	200	205	100	90	RCPD7127	250	200	205	100	180
	133.0			RCP7133X						RCPD7133					
	140.0			RCP7140X						RCPD7140					
	150.0	G 5 1/2	6	RCP7150X						RCPD7150					
	152.4			RCP7152.4X						RCPD7152.4					
	159.0			RCP7159X						RCPD7159					
	165.1	G 6	6 1/2	RCP7165.1X						RCPD7165.1					
	168.3			RCP7168.3X						RCPD7168.3					
8	168.3	G 8	8 5/8	RCP8168.3X	320	270	265	135	120	RCPD8168.3	320	270	265	135	240
	177.8			RCP8177.8X						RCPD8177.8					
	193.7			RCP8193.7X						RCPD8193.7					
	203.0			RCP8203X						RCPD8203					
	219.1			RCP8219.1X						RCPD8219.1					
220.0	RCP8220X	RCPD8220													
9	219.1	G 8		RCP9219.1X	466	410	395	205	160	RCPD9219.1	466	410	395	205	320
	244.5			RCP9244.5X						RCPD9244.5					
	250.0			RCP9250X						RCPD9250					
	273.0			RCP9273X						RCPD9273					
	323.9			RCP9323.9X						RCPD9323.9					
10	355.6	G 10 G 12		RCP10355.6X	630	530	530	265	180	RCPD10355.6	630	530	530	265	360
	406.4			RCP10406.4X						RCPD10406.4					

Metal parts also available in stainless steel.

¹⁾ Only sizes 1–4

Tube clamps series C (Heavy series) – Components

DIN 3015, part 2





clamp size	AP C... Order code	weld plate dimensions: d f g i m	double weld plate dimensions: APDC C... Order code d f g i m	weld/screw plate dimensions: APLC C... Order code g f i k n	mounting rail TS C... Order code	dim.: b h
1	APC1X	33 30 73 8 M10	APDC1X 33 60 73 8 M10	APLC1X 113 30 8 85 11	TSC1X (1 Meter)	40 22
2	APC2X	45 30 85 8 M10	APDC2X 45 60 85 8 M10	APLC2X 125 30 8 97 11		
3	APC3X	60 30 100 8 M10	APDC3X 60 60 100 8 M10	APLC3X 140 30 8 112 11		
4	APC4X	90 45 140 10 M12	APDC4X 90 90 140 10 M12	APLC4X 190 45 10 160 14	TSC2X (2 Meter)	
5	APC5X	122 60 180 10 M16	APDC5X 122 120 180 10 M16	APLC5X 240 60 10 205 18		
6	APC6X	168 80 225 15 M20	APDC6X 168 160 225 15 M20	APLC6X 310 80 15 270 22		
7	APC7X	205 90 270 15 M24	APDC7X 205 180 270 15 M24	APLC7X 370 90 15 320 26		
8	APC8X	265 120 340 25 M30	APDC8X 265 240 340 25 M30	APLC8X 450 120 25 390 33		
9	APC9X	395 160 520 30 M30	APDC9X 395 324 520 30 M30			
10	APC10X	530 180 680 30 M30	APDC10X 530 364 680 30 M30			

Metal parts also available in stainless steel.

Complete programme range please refer to page S28.

Tube clamps series C (Heavy series) – Components

DIN 3015, part 2



DIN 931/933

clamp size	rail nut			cover plate					double cover plate					hexagon head			
	TM C... Order code	dimensions: b d m			DP C... Order code	dimensions: b d f i m					DPD C... Order code	dimensions: b d f i m					SS C... Order code
1	TMC1X	20 17.8 M10	DPC1X	55	33	30	8	11	DPDC1X	55	33	60	8	11	SSC1X	M 10×45	
2			DPC2X	70	45	30	8	11	DPDC2X	70	45	60	8	11	SSC2X	M 10×60	
3			DPC3X	85	60	30	8	11	DPDC3X	85	60	60	8	11	SSC3X	M 10×70	
4	TMC4X	23 19.8 M12	DPC4X	115	90	45	10	14	DPDC4X	115	90	90	10	14	SSC4X	M 12×100	
5			DPC5X	152	122	60	10	18	DPDC5X	152	122	120	10	18	SSC5X	M 16×130	
6			DPC6X	205	168	80	15	22	DPDC6X	205	168	160	15	22	SSC6X	M 20×190	
7			DPC7X	250	205	90	15	26	DPDC7X	250	205	180	15	26	SSC7X	M 24×220	
8			DPC8X	320	265	120	25	33	DPDC8X	320	265	240	25	33	SSC8X	M 30×300	
9			DPC9X	466	395	160	30	35	DPDC9X	466	395	324	30	35	SSC9X	M 30×450	
10			DPC10X	630	530	364	30	35	DPDC10X	630	530	364	30	35	SSC10X	M 30×560	

Metal parts also available in stainless steel.

Tube clamps series C (Heavy series) – Components

DIN 3015, part 2

	 DIN 912								
clamp size	socket head	dimensions:	AS C...	stacking	locking plate ¹⁾	locking washer ²⁾			
	IS C...	d × L	Order code	dimensions:	SP C...	dimensions:	US C...	dimensions:	
			Order code	a b m SW	Order code	a b c d e	Order code	a b	
1	ISC1X	M 10×45	ASC1X	25 51 M10 15	SPC1X	55 30 8 14 15.5	USC1X	13 22	
2	ISC2X	M 10×60	ASC2X	40 66 M10 15	SPC2X	70 30 8 26 15.5			
3	ISC3X	M 10×70	ASC3X	50 76 M10 15	SPC3X	85 30 8 41 15.5			
4	ISC4X	M 12×100	ASC4X	85 112 M12 17	SPC4X	115 45 10 69 17.5	USC4X	15 28	
5	ISC5X	M 16×130	ASC5X	110 146 M16 21	SPC5X	152 60 10 97 21.5	USC5X	18 32	
6	ISC6X	M 20×190	ASC6X	155 206 M20 27	SPC6X	205 80 15 137 27.5	USC6X	21 36	
7	ISC7X	M 24×220	ASC7X	185 245 M24 30	SPC7X	250 90 15 169 30.5	USC7X	25 42	
8	ISC8X	M 30×300	ASC8X	250 330 M30 36	SPC8X	320 120 25 219 36.5	USC8X	32 52	

¹⁾ The use of stacking screws necessitates the use of locking plates in the construction assembly!


²⁾ When assembling solid rubber clamps, covering plates, hexagon screws and locking washers must be used.
Metal parts also available in stainless steel.

Tube clamps series C – Complete range


Polypropylene – **RCP**
 Inside smooth – **RCPG¹⁾**
 Polyamide 6 – **RCN**
 Rubber – **RCVR***
 Aluminium – **RCA**

(As required please exchange standard abbreviation
 RCP in column for "Order code")

2 clamp halves, weld plate,
 cover plate, hex. head bolt



2 clamp halves, weld plate,
 cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
1	6.0	G 1/8	5/16	RCP1-106	RCP2-106
	8.0			RCP1-108	RCP2-108
	10.0			RCP1-110	RCP2-110
	12.0			RCP1-112	RCP2-112
	12.7	G 1/4	1/2	RCP1-112.7	RCP2-112.7
	13.5			RCP1-113.5	RCP2-113.5
	14.0			RCP1-114	RCP2-114
	15.0			RCP1-115	RCP2-115
	16.0			RCP1-116	RCP2-116
	17.2	G 3/8	5/8	RCP1-117.2	RCP2-117.2
	18.0			RCP1-118	RCP2-118
2	19.0	G 1/2	3/4	RCP1-219	RCP2-219
	20.0			RCP1-220	RCP2-220
	21.3			RCP1-221.3	RCP2-221.3
	22.0			RCP1-222	RCP2-222
	23.0	G 3/4	1	RCP1-223	RCP2-223
	25.0			RCP1-225	RCP2-225
	26.9			RCP1-226.9	RCP2-226.9
	28.0			RCP1-228	RCP2-228
	30.0			RCP1-230	RCP2-230
3	30.0	G 1	1 1/4	RCP1-330	RCP2-330
	32.0			RCP1-332	RCP2-332
	33.7			RCP1-333.7	RCP2-333.7
	35.0			RCP1-335	RCP2-335
	38.0	G 1 1/4	1 1/2	RCP1-338	RCP2-338
	40.0			RCP1-340	RCP2-340
	42.0			RCP1-342	RCP2-342
4	38.0	G 1 1/4	1 1/2	RCP1-438	RCP2-438
	40.0			RCP1-440	RCP2-440
	42.0			RCP1-442	RCP2-442
	45.0			RCP1-445	RCP2-445
	48.3	G 1 1/2	2	RCP1-448.3	RCP2-448.3
	50.0			RCP1-450	RCP2-450
	51.0			RCP1-451	RCP2-451
	52.0			RCP1-452	RCP2-452
	55.0			RCP1-455	RCP2-455
	57.0	G 2	2 1/4	RCP1-457	RCP2-457
	60.3			RCP1-460.3	RCP2-460.3
	63.0		2 1/2	RCP1-463	RCP2-463
	65.0			RCP1-465	RCP2-465
	70.0			RCP1-470	RCP2-470


Continuation see next page ...

Tube clamps series C – Complete range (Continued)


Polypropylene – **RCP**
 Inside smooth – **RCPG¹⁾**
 Polyamide 6 – **RCN**
 Rubber – **RCVR***
 Aluminium – **RCA**

(As required please exchange standard abbreviation
 RCP in column for "Order code")

2 clamp halves, weld plate,
 cover plate, hex. head bolt



2 clamp halves, weld plate,
 cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
5	70.0	G 2 1/2	3	RCP1-570	RCP2-570
	73.0			RCP1-573	RCP2-573
	75.0			RCP1-575	RCP2-575
	76.1			RCP1-576.1	RCP2-576.1
	80.0	G 3	3 1/4	RCP1-580	RCP2-580
	82.5			RCP1-582.5	RCP2-582.5
	88.9			RCP1-588.9	RCP2-588.9
6	90.0	G 3 1/2	4	RCP1-590	RCP2-590
	97.0			RCP1-690	RCP2-690
	100.0			RCP1-697	RCP2-697
	101.6			RCP1-6100	RCP2-6100
	108.0	G 4	4 1/4	RCP1-6101.6	RCP2-6101.6
	114.3			RCP1-6108	RCP2-6108
	127.0			RCP1-6114.3	RCP2-6114.3
7	127.0	G 5	5	RCP1-6127	RCP2-6127
	133.0			RCP1-7127	RCP2-7127
	140.0			RCP1-7133	RCP2-7133
	150.0			RCP1-7140	RCP2-7140
	152.4	G 5 1/2	6	RCP1-7150	RCP2-7150
	159.0			RCP1-7152.4	RCP2-7152.4
	165.1	G 6	6 1/4	RCP1-7159	RCP2-7159
8	168.3			RCP1-7165.1	RCP2-7165.1
	168.3	G 8	6 5/8	RCP1-7168.3	RCP2-7168.3
	177.8			RCP1-8168.3	RCP2-8168.3
	193.7			RCP1-8177.8	RCP2-8177.8
	203.0			RCP1-8193.7	RCP2-8193.7
	219.1			RCP1-8203	RCP2-8203
	220.0			RCP1-8219.1	RCP2-8219.1
			8 5/8	RCP1-8220	RCP2-8220

Delivery in unassembled individual components.

¹⁾ Only sizes 1–4


* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).

Tube clamps series C – Complete range


Polypropylene – **RCP**
 Inside smooth – **RCPG¹⁾**
 Polyamide 6 – **RCN**
 Rubber – **RCVR***
 Aluminium – **RCA**

(As required please exchange standard abbreviation
 RCP in column for "Order code")


2 clamp halves,
 rail nuts, cover plate,
 hex. head bolts



2 clamp halves,
 rail nuts, cover plate,
 socket head bolts



2 clamp halves, locking
 plate, stacking bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
1	6.0	G 1/8	5/16	RCP3-106	RCP4-106	RCP5-106
	8.0			RCP3-108	RCP4-108	RCP5-108
	10.0			RCP3-110	RCP4-110	RCP5-110
	12.0			RCP3-112	RCP4-112	RCP5-112
	12.7	G 1/4	1/2	RCP3-112.7	RCP4-112.7	RCP5-112.7
	13.5			RCP3-113.5	RCP4-113.5	RCP5-113.5
	14.0			RCP3-114	RCP4-114	RCP5-114
	15.0			RCP3-115	RCP4-115	RCP5-115
	16.0			RCP3-116	RCP4-116	RCP5-116
	17.2	G 3/8	5/8	RCP3-117.2	RCP4-117.2	RCP5-117.2
	18.0			RCP3-118	RCP4-118	RCP5-118
2	19.0	G 1/2	3/4	RCP3-219	RCP4-219	RCP5-219
	20.0			RCP3-220	RCP4-220	RCP5-220
	21.3			RCP3-221.3	RCP4-221.3	RCP5-221.3
	22.0			RCP3-222	RCP4-222	RCP5-222
	23.0	G 3/4	1	RCP3-223	RCP4-223	RCP5-223
	25.0			RCP3-225	RCP4-225	RCP5-225
	26.9			RCP3-226.9	RCP4-226.9	RCP5-226.9
	28.0			RCP3-228	RCP4-228	RCP5-228
	30.0			RCP3-230	RCP4-230	RCP5-230
3	30.0	G 1	1 1/4	RCP3-330	RCP4-330	RCP5-330
	32.0			RCP3-332	RCP4-332	RCP5-332
	33.7			RCP3-333.7	RCP4-333.7	RCP5-333.7
	35.0			RCP3-335	RCP4-335	RCP5-335
	38.0	G 1 1/4	1 1/2	RCP3-338	RCP4-338	RCP5-338
	40.0			RCP3-340	RCP4-340	RCP5-340
	42.0			RCP3-342	RCP4-342	RCP5-342
4	38.0	G 1 1/4	1 1/2	RCP3-438	RCP4-438	RCP5-438
	40.0			RCP3-440	RCP4-440	RCP5-440
	42.0			RCP3-442	RCP4-442	RCP5-442
	45.0			RCP3-445	RCP4-445	RCP5-445
	48.3	G 1 1/2	2	RCP3-448.3	RCP4-448.3	RCP5-448.3
	50.0			RCP3-450	RCP4-450	RCP5-450
	51.0			RCP3-451	RCP4-451	RCP5-451
	52.0			RCP3-452	RCP4-452	RCP5-452
	55.0			RCP3-455	RCP4-455	RCP5-455
	57.0	G 2	2 1/4	RCP3-457	RCP4-457	RCP5-457
	60.3			RCP3-460.3	RCP4-460.3	RCP5-460.3
	63.0		2 1/2	RCP3-463	RCP4-463	RCP5-463
	65.0			RCP3-465	RCP4-465	RCP5-465
	70.0			RCP3-470	RCP4-470	RCP5-470


Continuation see next page ...

Tube clamps series C – Complete range (Continued)

Polypropylene – **RCP**
 Inside smooth – **RCPG¹⁾**
 Polyamide 6 – **RCN**
 Rubber – **RCVR***
 Aluminium – **RCA**

(As required please exchange standard abbreviation
 RCP in column for "Order code")

2 clamp halves, locking
 plate, stacking bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code
5	70.0	G 2 1/2	3	RCP5-570
	73.0			RCP5-573
	75.0			RCP5-575
	76.1			RCP5-576.1
	80.0	G 3	3 1/4	RCP5-580
	82.5			RCP5-582.5
	88.9			RCP5-588.9
	90.0			RCP5-590
6	90.0	G 3 1/2	4	RCP5-690
	97.0			RCP5-697
	100.0			RCP5-6100
	101.6			RCP5-6101.6
	108.0	G 4	4 1/4	RCP5-6108
	114.3			RCP5-6114.3
	127.0			RCP5-6127
7	127.0	G 5	5	RCP5-7127
	133.0			RCP5-7133
	140.0			RCP5-7140
	150.0	G 5 1/2	5 1/2	RCP5-7150
	152.4			RCP5-7152.4
	159.0			RCP5-7159
	165.1	G 6	6 1/4	RCP5-7165.1
	168.3			RCP5-7168.3
				RCP5-7168.3
8	168.3	G 8	6 5/8	RCP5-8168.3
	177.8		7	RCP5-8177.8
	193.7		7 5/8	RCP5-8193.7
	203.0			RCP5-8203
	219.1			RCP5-8219.1
	220.0		85/8	RCP5-8220
				RCP5-8220

Delivery in unassembled individual components.

¹⁾ Only sizes 1–4


* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).

Tube clamps series C – Complete range

Polypropylene – **RCPD**
 Inside smooth – **RCPDG¹⁾**
 Polyamide 6 – **RCND**
 Rubber – **RCVDR***
 Aluminium – **RCAD**

(As required please exchange standard abbreviation
 RCP in column for "Order code")

4 clamp halves, double weld plate,
 double cover plate, hex. head bolts




SSC...

DPDC...

RCPD...
 (=2XRCP...)

APDC...

4 clamp halves, double weld
 plate, double cover plate, socket
 head bolts



ISC...

DPDC...

RCPD...
 (=2XRCP...)

APDC...



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
1	6.0	G 1/8	5/16	RCPD1-106	RCPD2-106
	8.0			RCPD1-108	RCPD2-108
	10.0			RCPD1-110	RCPD2-110
	12.0			RCPD1-112	RCPD2-112
	12.7	G 1/4	1/2	RCPD1-112.7	RCPD2-112.7
	13.5			RCPD1-113.5	RCPD2-113.5
	14.0			RCPD1-114	RCPD2-114
	15.0			RCPD1-115	RCPD2-115
	16.0			RCPD1-116	RCPD2-116
	17.2	G 3/8	5/8	RCPD1-117.2	RCPD2-117.2
	18.0			RCPD1-118	RCPD2-118
2	19.0	G 1/2	3/4	RCPD1-219	RCPD2-219
	20.0			RCPD1-220	RCPD2-220
	21.3			RCPD1-221.3	RCPD2-221.3
	22.0			RCPD1-222	RCPD2-222
	23.0	G 3/4	1	RCPD1-223	RCPD2-223
	25.0			RCPD1-225	RCPD2-225
	26.9			RCPD1-226.9	RCPD2-226.9
	28.0			RCPD1-228	RCPD2-228
	30.0			RCPD1-230	RCPD2-230
3	30.0	G 1	1 1/4	RCPD1-330	RCPD2-330
	32.0			RCPD1-332	RCPD2-332
	33.7			RCPD1-333.7	RCPD2-333.7
	35.0			RCPD1-335	RCPD2-335
	38.0	G 1 1/4	1 1/2	RCPD1-338	RCPD2-338
	40.0			RCPD1-340	RCPD2-340
	42.0			RCPD1-342	RCPD2-342
4	38.0	G 1 1/4	1 1/2	RCPD1-438	RCPD2-438
	40.0			RCPD1-440	RCPD2-440
	42.0			RCPD1-442	RCPD2-442
	45.0			RCPD1-445	RCPD2-445
	48.3	G 1 1/2	2	RCPD1-448.3	RCPD2-448.3
	50.0			RCPD1-450	RCPD2-450
	51.0			RCPD1-451	RCPD2-451
	52.0			RCPD1-452	RCPD2-452
	55.0	G 2	2 1/4	RCPD1-455	RCPD2-455
	57.0			RCPD1-457	RCPD2-457
	60.3			RCPD1-460.3	RCPD2-460.3
	63.0		2 1/2	RCPD1-463	RCPD2-463
	65.0			RCPD1-465	RCPD2-465
	70.0			RCPD1-470	RCPD2-470

Continuation see next page ...

Tube clamps series C – Complete range (Continued)

Polypropylene – **RCPD**
 Inside smooth – **RCPDG¹⁾**
 Polyamide 6 – **RCND**
 Rubber – **RCVDR***
 Aluminium – **RCAD**

(As required please exchange standard abbreviation
 RCP in column for "Order code")

				4 clamp halves, double weld plate, double cover plate, hex. head bolts	4 clamp halves, double weld plate, double cover plate, socket head bolts
				 SSC... DPDC... RCPD... (=2XRCP...) APDC...	 ISC... DPDC... RCPD... (=2XRCP...) APDC...
clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
5	70.0	G 2 1/2	3	RCPD1-570	RCPD2-570
	73.0			RCPD1-573	RCPD2-573
	75.0			RCPD1-575	RCPD2-575
	76.1			RCPD1-576.1	RCPD2-576.1
	80.0	G 3	3 1/4	RCPD1-580	RCPD2-580
	82.5			RCPD1-582.5	RCPD2-582.5
	88.9			RCPD1-588.9	RCPD2-588.9
6	90.0	G 3 1/2	4	RCPD1-590	RCPD2-590
	97.0			RCPD1-690	RCPD2-690
	100.0			RCPD1-697	RCPD2-697
	101.6			RCPD1-6100	RCPD2-6100
	108.0	G 4	4 1/4	RCPD1-6101.6	RCPD2-6101.6
	114.3			RCPD1-6108	RCPD2-6108
	127.0			RCPD1-6114.3	RCPD2-6114.3
7	127.0	G 5	5	RCPD1-6127	RCPD2-6127
	133.0			RCPD1-7127	RCPD2-7127
	140.0			RCPD1-7133	RCPD2-7133
	150.0			RCPD1-7140	RCPD2-7140
	152.4	G 5 1/2	6	RCPD1-7150	RCPD2-7150
	159.0			RCPD1-7152.4	RCPD2-7152.4
	165.1	G 6	6 1/4	RCPD1-7159	RCPD2-7159
8	168.3			RCPD1-7165.1	RCPD2-7165.1
	168.3	G 8	6 5/8	RCPD1-7168.3	RCPD2-7168.3
	177.8			RCPD1-8168.3	RCPD2-8168.3
	193.7			RCPD1-8177.8	RCPD2-8177.8
	203.0			RCPD1-8193.7	RCPD2-8193.7
	219.1			RCPD1-8203	RCPD2-8203
	220.0			RCPD1-8219.1	RCPD2-8219.1
			8 5/8	RCPD1-8220	RCPD2-8220

Delivery in unassembled individual components.

¹⁾ Only sizes 1–4

* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).

Tube clamps series O

Order code for tube clamps:

Polypropylene **ROP***


Polyamide **RON***

* Supplement with size and tube $\varnothing$ mm.
(e.g. ROP 106X)

Packing standard 200 pieces.

Areas of Application:

- pneumatics
 - automotive technology
 - machine tool industry
 - lubrication
 - naval technologie
- also suitable for cables and hoses.



Clamp-size	Tube Ø D1			Order code Polypropylene ROP	Order code Polyamide RON	L1	L2	L3	B	H	Ø D2
	O.D. mm	Tube NB	Inch								
1	6.0		1/4	ROP 106X	RON 106X	22	9	7	14.5	13.5	6.5
	6.4			ROP 106.4X	RON 106.4X						
	8.0			ROP 108X	RON 108X						
2	8.0	1/8	3/8	ROP 208X	RON 208X	27	11	7	14.5	18.5	6.5
	9.5			ROP 209.5X	RON 209.5X						
	10.0		ROP 210X	RON 210X							
	12.0		ROP 212X	RON 212X							
	12.7		ROP 212.7X	RON 212.7X							
3	10.0	1/8	1/2	ROP 310X	RON 310X	33	15	7	14.5	23.5	6.5
	12.0	1/4		ROP 312X	RON 312X						
	12.7		ROP 312.7X	RON 312.7X							
	13.5		ROP 313.5X	RON 313.5X							
	14.0		ROP 314X	RON 314X							
	15.0		ROP 315X	RON 315X							
	16.0	5/8	ROP 316X	RON 316X							
4	14.0	3/8	5/8	ROP 414X	RON 414X	40	19	6	14.5	30.5	6.5
	15.0			ROP 415X	RON 415X						
	16.0		ROP 416X	RON 416X							
	17.2		ROP 417.2X	RON 417.2X							
	18.0		ROP 418X	RON 418X							
	19.0	1/2	3/4	ROP 419X	RON 419X						
	20.0			ROP 420X	RON 420X						
	21.3			ROP 421.3X	RON 421.3X						
	22.0			ROP 422X	RON 422X						

Double-Tube clamps series O

Order code for tube clamps:

Polypropylen **ROPD***
Polyamid **ROND***

*Supplement with size and tube $\varnothing$ mm.
(e.g. ROPD 106X)

*Different diameter on request

Order code for cover plate:


DPO*

*Supplement with size.

Material: Galvanized steel
Stainless steel upon request

Areas of Application:

- pneumatics
 - automotive technology
 - machine tool industry
 - lubrication
 - naval technologie
- also suitable for cables and hoses.



Clamp-size	Tube Ø D1/D2			Order code	Order code	L1	L2	B	H	Ø D3	L4	B2	Ø D4
	O.D. mm	Tube NB	Inch	Polypropylene ROPD	Cover plate DPO								
1	6.0		1/4	ROPD 106X	DPO1X	32	18	14.5	13.5	6.5	29.0	16.3	6.5
	6.4			ROPD 106.4X	DPO1X								
	8.0			ROPD 108X	DPO1X								
2	8.0	1/8	3/8	ROPD 208X	DPO2X	41	22	14.5	18.5	6.5	40.0	16.3	6.5
	9.5			ROPD 209.5X	DPO2X								
	10.0			ROPD 210X	DPO2X								
	12.0		ROPD 212X	DPO2X									
	12.7		ROPD 212.7X	DPO2X									
3	10.0	1/8	1/2	ROPD 310X	DPO3X	54	30	14.5	23.5	6.5	50.5	16.5	6.5
	12.0	1/4		ROPD 312X	DPO3X								
	12.7			ROPD 312.7X	DPO3X								
	13.5		ROPD 313.5X	DPO3X									
	14.0		ROPD 314X	DPO3X									
	15.0		ROPD 315X	DPO3X									
	16.0	5/8	ROPD 316X	DPO3X									
4	14.0	3/8	5/8	ROPD 414X	DPO4X	69	38	14.5	30.5	6.5	63.0	16.5	6.5
	15.0			ROPD 415X	DPO4X								
	16.0			ROPD 416X	DPO4X								
	17.2			ROPD 417.2X	DPO4X								
	18.0			ROPD 418X	DPO4X								
	19.0	1/2	3/4	ROPD 419X	DPO4X								
	20.0			ROPD 420X	DPO4X								
	21.3			ROPD 421.3X	DPO4X								
	22.0			ROPD 422X	DPO4X								

Hydraulic steel-clamps

Hydraulic steel-clamps

Order code

W1: steel coating ZN




* please add. $\varnothing D$


HSRS-*

HSRS hydraulic steel-clamps are mainly used in the field of building machinery.

The support-block is welded to the machine body or another component either in upend or flat position. The tube-clamp is screwed on.

The robust construction of the clamp has an impact- and vibrationabsorbing effect. The small dimension/ height of the clamp allows hydraulic cables to be fitted later on – e. g. for installing additional equipment to building machinery.

 		
	Order code	Measurement
		$\varnothing D$ A
	HSRS25	25 52.5
	HSRS30	30 55.0
	HSRS35	35 57.5
	HSRS38	38 59.0
	HSRS42	42 61.0
	HSRS50	50 65.0



Hydraulic steel-clamps

Elastomere Inlay for HSRS

Order code **EE-***
 * complete outside tube diameter

Hydraulic steel tube clamp HSRS
 also available with Elastomere inlay


The advantages:

- complete outside tube diameter
- Safe fastening method even for very sensitive tube and hoses lines
- Only one clamp for different tube diameters


Material:

Santoprene 64 Shore


- high oil and weathering resistance
- temperature stability between -40 °C and +125°C



Order code	Nominal size D2	mm O.D. D1
EE12X	HSRS25	12
EE15X		15
EE20X		20
EE25X	HSRS30	25
EE30X	HSRS35	30
EE35X	HSRS50	35
EE38X		38
EE42X		42



Tube Clamps with Elastomer Inlay



Light Constr. Series

Order codes for clamp-halves:

Polypropylene – **RAPE**
Polyamide 6 – **RANE**

Heavy Series

Order codes for clamp-halves:

Polypropylene – **RCPE**
Polyamide 6 – **RCNE**

Elastomer Inlay

Order code: **EE-***

* complete with clamp size and outside tube diameter

Clamp size		Tube O.D. mm	Series A		Series C		Elastomer inlay
Serie A	Serie C		Clamp body	Clamp body with elastomer inlay	Clamp body	Clamp body with elastomer inlay	
4	2	6.0	RAPE4X	RAPE406X	RCPE2X	RCPE206X	EE206/406X
		8.0		RAPE408X		RCPE208X	EE208/408X
		10.0		RAPE410X		RCPE210X	EE210/410X
		12.0		RAPE412X		RCPE212X	EE212/412X
		12.7		RAPE412.7X		RCPE212.7X	EE212.7/412.7X
		14.0		RAPE414X		RCPE214X	EE214/414X
		15.0		RAPE415X		RCPE215X	EE215/415X
		16.0		RAPE416X		RCPE216X	EE216/416X
		17.2		RAPE417.2X		RCPE217.2X	EE217.2/417.2X
		18.0		RAPE418X		RCPE218X	EE218/418X
6	3	19.0		RAPE419X		RCPE219X	EE219/419X
		20.0	RAPE6X	RAPE620X	RCPE3X	RCPE320X	EE320/620X
		21.3		RAPE621.3X		RCPE321.3X	EE321.3/621.3X
		22.0		RAPE622X		RCPE322X	EE322/622X
		23.0		RAPE623X		RCPE323X	EE323/623X
		25.0		RAPE625X		RCPE325X	EE325/625X
		26.9		RAPE626.9X		RCPE326.9X	EE326.9/626.9X
		28.0		RAPE628X		RCPE328X	EE328/628X
		30.0		RAPE630X		RCPE330X	EE330/630X
		32.0		RAPE632X		RCPE332X	EE332/632X
	4	32.0			RCPE4X	RCPE432X	EE432X
		33.7				RCPE433.7X	EE433.7X
		35.0				RCPE435X	EE435X
		38.0				RCPE438X	EE438X
		40.0				RCPE440X	EE440X
		42.0				RCPE442X	EE442X
		45.5				RCPE445.5X	EE445.5X
		48.0				RCPE448X	EE448X
		51.0				RCPE451X	EE451X
		53.4				RCPE453.4	EE453.4X
		56.4				RCPE456.4X	EE456.4X

Attention! For clamps with elastomer inlay, the relation of diameter and size is not identical with the profile design or smooth design.

Tube clamps series 2+5 (Light construction series)

DIN 3015, Part 1, Components

Order codes

for clamp-halves:

Polypropylen **RAP**
inside smooth **RAPG**


Polyamid 6 **RAN**
inside smooth **RANG**

Rubber **RAVG**


Replace standard abbreviation RAP in column "clamp halves" as required.




Size 2







Size 2



Size 5



Size 5



Clamp size	O.D. mm	Tube NB	Inch O.D.	1 part 2 clamp-halves RAP Order code	2 clamp-halves RAP-... l ₁ h ₁ e ₁ s ₁	Multiple weld plate APRLA2X e ₁ l ₂	Multiple weld plate, angled APRWLA2X e ₁ l ₂
2	6.0	G 1/8	1/4	RAP206X	40 33 26 0.8	26 508 20 Nuts	26 508 20 Nuts
	6.4		5/16	RAP206.4X			
	8.0		3/8	RAP208X			
	9.5			RAP209.5X			
	10.0	G 1/4	1/2	RAP210X			
	12.0			RAP212X			
	12.7			RAP212.7X			
	13.5			RAP213.5X			
	14.0	G 3/8	5/8	RAP214X			
	15.0			RAP215X			
	16.0			RAP216X			
	17.2			RAP217.2X			
5	18.0			RAP218X			
	19.0	G 1/2	3/4	RAP519X	70 58 26 1.2	26 508 20 Nuts	26 508 20 Nuts
	20.0			RAP520X			
	21.3			RAP521.3X			
	22.0			RAP522X			
	23.0	G 3/4	1	RAP523X			
	25.0			RAP525X			
	26.9			RAP526.9X			
	28.0			RAP528X			
	30.0	G 1	1 1/4	RAP530X			
	32.0			RAP532X			
	33.7			RAP533.7X			
	35.0			RAP535X			
	38.0	G 1 1/4	1 1/2	RAP538X			
	40.0			RAP540X			
	42.0			RAP542X			

When assembling solid rubber clamps, cover plates, hexagon screws and locking washers must be used.
All metal parts available in stainless steel.

Tube clamps series 2+5 (Light construction series)








DIN 3015, Part 1, Components

Cover plate		Bolts		Bolts		Bolts		Locking washer ¹⁾
DPA	DPA l ₃ 3 ₁	Slot head SLA	Slot head SLA d × L	Socket head ISA	Socket head ISA d × L	Hexagon head SSLA	Hexagon head SSLA d × L	USA/USB1X a b
DPA2X	40 26	SLA2X	M 06×25	ISA2X	M 06×25	SSLA2/ SSB1X	M 06×25	9 18
DPA5X	70 52	SLA5X	M 06×50	ISA5X	M 06×50	SSLA5X	M 06×60	

¹⁾ When assembling solid rubber clamps, cover plates, hexagon screws and locking washers must be used.

Tube clamps series 2+5 (Light construction series)

DIN 3015, Part 1, Components

																	
Bolts		Locking plate ²⁾		Welding plate, short		Mounting rail		Mounting rail		Rail nut							
Stacking ²⁾ ASA	Stacking ²⁾ ASA l ₅	SBAX a SW		APKA	APKA e ₁ L ₂	TS-A/B	TS-AB l h ₂	TMA/TMB1	TMA/TMB1 a b c d ₆								
ASA2X	25	30	11	APKA2X	26 42	TS11A/B1X TS11A/B2X TS14A/b1X TS14A/b2X TS30A/b1X TS30A7b2X	1 m 11 2 m 11 1 m 14 2 m 14 1 m 30 2 m 30	TMA/TMB1 VERZX	25.4 10.4 12 M6								
ASA5X	50			APKA5X	52 72												

²⁾ The usage of stacking bolts necessitates the use of locking plates during the construction assembly.

The fully flexible tube clamp.

Optimum insulation against noise and vibration.

The Primary Material

The fully flexible tube clamps are made out of thermoplastic caoutchouc.

The advantages

Excellent noise insulation and vibration properties. Easy securing also of sensitive tube and pipe installations.


The material properties are appreciably higher than those of comparable vulcanized rubber products.

The Construction Details

The internal surfaces are smooth or grooved. A useful screw safety-device guarantees perfect connections and together with the solid rubber construction eliminates self loosening!

The welding plates, covers and screws are also available in stainless steel.

Low noise and vibration level




Weather-proof and brittle-resistant




Shape stability with high elasticity



Resistant against many chemicals



Wide temperature applications





Custom Products



What are Custom Products?

Parker – supplier of your wishes – your special is our standard!

Your idea is our Know-How!

Profit of the advantages of our Custom Products:

- Slogans like “single source” or “vendor-reduction” are getting more and more important in industry.
- Parker TFDE Custom Products is able to offer almost every type of connector, which is not to be found in our catalogues or price-lists.
- worldwide availability

Following examples could be a suggestion, how your problems could be solved in the future.

Jump sizes



One connector can replace several combinations.

- to shorten assembly-time
- to reduce possible leaks and their costs
- to reduce stock

Extra-long connectors



**to avoid long tubes
or adapter-combinations**

Unconventional configuration of ends



tube and port end

eg: to connect metric and inch tube ...

Restricted orifice



orifice $\times 0,3 \text{ mm}$

(technical clarification about length of reduced bore in accordance to material necessary)



Industrial Tube Fittings Europe – Alphanumerical index

Order code	Page	Order code	Page	Order code	Page
0107	N46	C6MLO	J19	EGE-M-ED	I61
0207	N49	C6MX	K18	EGE-NPT	I65
0507	N51	C87OMLO	J37	EGEO	I60
1004	H31	C87OMX	K44	EGE-R-ED	I62
2107	N47	C8OMLO	J42	EL	I30
210A	H31	C8OMX	K48	ELA	O57
2207	N50	CC5OLO	J40	EL-M-ED	I72
226A	H51	CC5OX	K46	EL-R-ED	I73
226A BLADES	H51	CC87OMLO	J38	EMA1	Q4
2507	N52	CCCTX	K51	EMA3	Q8
3107	N48	CCTX	K50	EMK4	N28
3507	N53	CD45M	N10	EMLO	J10
AKL	H7	CDM	N9	EMTX	K10
AOE4G	N18	CLO	J43	EO2-FORM F3	H24
AOEG	N18	CMTX	K49	EO2-FORM PRO22	H24
AOEL6	J18	CPM	M70	EO2-FORM SET	I12
AP	M71	CR	N5	EO-KARRYMAT	H11
AS	L3	D	I15	EOMAT ECO	H13
AS	M34	DA	I34	EOMAT PRO	H21
ASK	L5	DD45	N14	EOMAT UNI	H15
ASL	M36	DDM	N14	EO-NIROMONT	H49
ASR	M33	DG 101	P6	ES	M38
AV 6/42	H50	DG 102-M	P8	ESL	M40
BAV 6/12	H51	DG 102-R	P7	ESV	L6
BBMTX	K22	DG 103	P9	ET	I29
BFG	M76	DG 104-M	P11	ET-M-ED	I70
BFGL	M79	DG 104-R	P10	ET-R-ED	I71
BFW	M77	DG 105	P12	EV	I28
BFW3	M78	DG 106-M	P14	EVGE-M-ED	I63
BFW3-G	M86	DG 106-R	P13	EVGE-R-ED	I64
BFW-G	M81	DG 107	P15	EVL	I33
BFW-GI	M82	DG 108	P16	EVL-M	I78
BFWL	M80	DG 208-R	P17	EVL-R	I79
BFW-S	M83	DKA	I132	EV-M-ED	I68
BL	J5	DKAZ	I131	EV-R-ED	I69
BML	J5	DKI	I128	EVT	I32
BMTX	K6	DMTX	K74	EVT-M	I76
BTX	K5	DOZ	I124	EVT-R	I77
BUZ	I119	DPR	I16	EVW	I31
BUZM	I120	DSVW-M	I92	EVW-M	I74
BV 20/25	H53	DSVW-R	I93	EVW-R	I75
BV 6/18	H52	DV	O53	EW	I27
C3MX	K52	DVGE-M	P19	EW-M-ED	I66
C3P4	N57	DVGE-R	P18	EW-R-ED	I67
C3T4	N55	DVWE-M	P21	F3HMG5	N23
C4OMLO	J41	DVWE-R	P20	F3MK4	N38
C4OMX	K47	E	I123	F3MP4	N57
C5OMLO	J39	E6MK4	N35	F3MT4	N54
C5OMX	K45	ED	I125	F3MX	K35
C6MK4	N31	EE	S38, S39	F42EDMLO	J30

Industrial Tube Fittings Europe – Alphanumerical index

Order code	Page	Order code	Page	Order code	Page
F42EDMX.....	K30	G4MX.....	K71	JMLO.....	J11
F4OHMG5.....	N24	G4MXMO.....	K78	JMTX.....	K11
F4OMX.....	K31	G5G5JG5.....	N20	JX6.....	K25
F5OG.....	N17	G63P4.....	N59	K.....	I24
F5OG5.....	N19	G6X.....	K77	K6OO4MX.....	K83
F5OHAO.....	N20	G87MLO.....	J56	K6PP4MX.....	K84
F5OMLO.....	J27	GAI-M.....	I107	KARRYFLARE.....	H33
F5OMX.....	K27	GAI-NPT.....	I109	KD.....	I130
F63MP4.....	N58	GAI-R.....	I108	KDS.....	I129
F63MX.....	K43	GE-M.....	I55	KH.....	O44
F642EDML.....	J35	GE-M(KEG).....	I56	KH (71).....	O37
F642EDMX.....	K38	GE-M-ED.....	I49	KH (S).....	O36
F64OMX.....	K39	GE-NPT.....	I58	KH 3/2 (S).....	O42
F65OL.....	J34	GEO.....	I48	KH 3/2 BSPP (S).....	O43
F65OMX.....	K37	GE-R.....	I52	KH BSPP (71).....	O39
F682EDML.....	J36	GE-R(KEG).....	I54	KH-A-S.....	O48
F682EDMX.....	K40	GE-R-ED.....	I50	KH-A-S-71.....	O49
F687OML.....	J33	GE-UNF/UN.....	I57	KH-B1V-S.....	O45
F687OMX.....	K36	GFS.....	M20	KH-B2V-S.....	O46
F68OMX.....	K41	GFS-G.....	M24	KH-B3V-S.....	O47
F6MK4.....	N30	GFS-N.....	M26	KH-B4V-S.....	O50
F6MX.....	K42	GG.....	N13	KH-B5V-S.....	O51
F82EDMLO.....	J31	GG44M.....	N41	KHBLOCK.....	O52
F82EDMX.....	K32	GHP.....	H19	KH-BSPP (S).....	O38
F87OMLO.....	J26	GHP PRO.....	H23	KH-NPT (71).....	O41
F87OMX.....	K26	GM.....	I121	KH-NPT (S).....	O40
F8OHG5.....	N25	GMA1.....	Q5	KLO.....	J12
F8OMX.....	K33	GMA3.....	Q9	KMMOO.....	N15
FF33M.....	N44	GMTX.....	K72	KONU.....	H19
FF5OMLO.....	J28	GR.....	I19	KOR.....	I39
FF5OMX.....	K29	GZ.....	I45	KTX.....	K12
FFFM.....	N6	GZR.....	I46	L(O)EMQ.....	M28
FFM.....	N4	H6MK4.....	N34	L(O)HQ.....	M27
FGM.....	N8	HHP.....	N16	L(O)VQ.....	M29
FHS.....	M15	HL6.....	J25	LD.....	O54
FHSF.....	M18	HMK4.....	N26	LEE.....	I81
FLO.....	J32	HMLO.....	J9	LE-M.....	I103
FMK4.....	N40	HMP4.....	N56	LE-M(KEG).....	I106
FMTX.....	K34	HMTX.....	K9	LE-R.....	I104
FNLBA.....	J69	HMX6.....	K24	LE-R (KEG).....	I105
FNMK4.....	N39	HP3M.....	N45	LOHB3.....	J62
FNML.....	J63	HP46.....	N56	LOHL6.....	J24
FNMTX.....	K85	HP5ON.....	N22	LOHMX6.....	J67
FUS.....	M16	HPBA.....	J71	LOHMX6.....	K89
FUSF.....	M19	HPM.....	N16	LOHU86.....	J68
FUSM.....	M17	HSRS.....	S37	LRV.....	O59
G.....	I18	HVM-B.....	H9	LUBSS.....	H49
G3P4.....	N59	I-TL.....	O20	M.....	I14
G4MK4.....	N37	J6MK4.....	N36	MAV.....	I112
G4MLOSMO.....	J57	JMK4.....	N28	MAVE.....	I113

Industrial Tube Fittings Europe – Alphanumerical index

Order code	Page	Order code	Page	Order code	Page
MAV-MA1	Q7	PEFF-N	M47	RHV42EDMXS	O30
MAV-MA3	Q11	PF	M84	RHV5OMLOS	O25
MAVMD...MA3	Q11	PFB	M85	RHV5OMXS	O32
MMO	N15	PFE	M85	RHV82EDMLOS	O27
MMO444M	N42	PFF-...S/L	M50	RHV82EDMXS	O34
MMS	N12	PFF-G	M41	RHV-M-ED	O16
MOK	H19	PFF-N	M45	RHV-R-ED	O14
MOKEO2	H19	PFL	M84	RHZ42EDMLOS	O24
MOKEO2PRO	H23	PGFS-B	M59	RHZ42EDMXS	O31
MOKPRO	H23	PGFS-S	M62	RHZ5OMLOS	O26
MOKPRORW	H23	PLCF-B	M97	RHZ5OMXS	O33
MRO	N11	PMQ	M72, M73	RHZ82EDMLOS	O28
MTX	K76	PNLOBA	J70	RHZ82EDMXS	O35
OR	I126, L12	PNMK4	N29	RHZ-M-ED	O17
OTX	K75	PNMLO	J64	RHZ-R-ED	O15
P5ONBA	J71	PNMTX	K86	RI	I111
P5ONM	N21	PORTBOARD A	H59	RI-ED	I110
PAFG-90G	M53	PORTBOARD B	H59	RMTX	K69
PAFG-90L	M57	PPCF	M95	ROV	I114
PAFG-90M	M51	PRF	M75	RRS	N5
PAFG-90X	M55	PSFA-B	M90	RVP	O19
PAFG-G	M52	PSF-B	M92	S	I17
PAFG-L	M56	PSFC	M89	S3MX	K64
PAFG-X	M54	PSFP	M91	S4OMLO	J50
PAFS-90B	M60	PTCF-B	M98	S4OMX	K61
PAFS-90S	M64	PTR34M	N43	S5OMLO	J49
PAFS-B	M58	PTRM	N7	S5OMX	K60
PAFSF-G	M43	PWDA	M88	S6MK4	N33
PAFSF-S	M63	PWDS-G	M87	S6MLO	J21
PAFS-M	M48	R3MX	K70	S6MX	K20
PAFS-S	M61	R4OMLO	J54	S87OMLO	J48
PAFS-U	M49	R4OMX	K67	S87OMX	K59
PAGL-(G/M)	M74	R5OMLO	J53	S8OMLO	J51
PARFLANGE® 1025	H38	R5OMX	K66	S8OMX	K62
PARFLANGE® 50	H40	R6MK4	N32	SBR	J75
PARFLANGE® 50 BASIC	H41	R6MLO	J22	SKA	L7
PARFLANGE® 50 PRO	H42	R6MX	K21	SKA-ORB	L10
PARFLARE ECO	H34	R6O4MX	K81	SKAR	L8
PAR-LOK	H54	R6P4MLO	J61	SKA-RB	L11
PCCFF	M69	R6P4MX	K82	SMA1	Q7
PCF-B	M94	R87OMLO	J52	SMA3	Q11
PCFF	M68	R87OMX	K65	SMTX	K63
PCFF-G	M42	R8OMLO	J55	SV	I25
PCFF-N	M46	R8OMX	K68	SWVE	I90
PDCF-B	M96	RED	I35	T	I21
PDFS-B	M66	RHD	O13	TEE	I81
PDFS-G	M65	RHDI	O18	TE-M	I99
PDFS-S	M67	RHDMLOS	O22	TE-M(KEG)	I102
PDSF-B	M93	RHDMTXS	O29	TE-R	I100
PEFF-G	M44	RHV42EDMLOS	O23	TE-R (KEG	I101

Industrial Tube Fittings Europe – Alphanumerical index

Order code	Page	Order code	Page	Order code	Page
TH-M	I87	V87OMX	K53	WFS	M22
TH-M-KDS	I86	V8OMLO	J47	WFS-G	M25
TH-R	I89	V8OMX	K56	WGMTX	K73
TH-R-KDS	I88	VDHA	O55	WH-M	I83
TL	J7	VEE	I81	WH-M-KDS	I82
TPL	J6	VH	I122	WH-R	I85
TR	I22	VKA	I117	WH-R-KDS	I84
TRMLO	J23	VKA1	Q6	WJJLO	J17
TRMTX	K23	VKA3	Q10	WJJTX	K17
TT4ML	J58	VKAM	I118	WJLO	J16
TT4MX	K79	VMTX	K57	WJTX	K16
TT8ML	J59	VOMO	H5	WLNM	K90
TTP4ML	J60	VSTI M/R-ED	I116	WLNML	J72
TTP4MX	K80	VSTI M-OR	I115	WMK4WL4NM	N27
TW3L	J72	W	I20	WMLO	J13
TX	K7	WAS	L4, M37	WMTX	K13
V3MX	K58	WEE	I81	WNLO	J15
V3P4	N58	WEE-R	I80	WNTX	K15
V3T4	N55	WE-M	I96	WSV	I26
V4OMLO	J46	WE-M(KEG)	I95	WV	O56
V4OMX	K55	WEMLO	J14	WZK	H55
V5OMLO	J45	WEMTX	K14	XEMQ	M31
V5OMX	K54	WE-NPT	I94	XHML6	J66, K88
V6LO	J20	WE-R	I97	XHML0	J65, K87
V6MX	K19	WE-R (KEG)	I98	XHQ	M30
V87OMLO	J44	WF5OLO	J29	XVQ	M32